

F.No.2-4/2021-NVS (Estt.I)/Trade Test/ECP/११५३

Dated: 23.09.2022

**NOTICE****TRADE TEST FOR RECRUITMENT TO THE POST OF ELECTRICIAN CUM PLUMBER  
UNDER DIRECT RECRUITMENT DRIVE 2021-22**

Please refer to this office Notice Ref.No. 2-4/2021-NVS (Estt.1)/1639 dated 28.06.2022 vide which list of candidates shortlisted in the ratio of 1:3 of the notified vacancies for Trade Test to the post of Electrician cum Plumber on the basis of marks obtained in Computer Based Test (CBT) held on 08.03.2022, was published on NVS website for information of all concerned.

In this regard, the indicative pattern of conduct of Trade Test is as under:-

<b>Aspects to be examined and evaluated during Trade Test for the post of Electrician cum Plumber under Direct Recruitment Drive 2021-22</b>		<b>Weightage (marks)</b>
<b>ELECTRICIAN</b>		
a)	Electrical wiring connection & circuit diagram analysis	05
b)	Knowledge of safety, precautions for working as Electrician	05
c)	Electrical tools and equipments handling	10
d)	Procedure of sequence of operation	05
e)	Series and Parallel Electrical Wiring	05
f)	Testing and Fault finding of Transformer	05
g)	Operation of a Generator	10
<b>PLUMBING</b>		
a)	Assembly of 'T' joint	10
b)	Fixing of Tap	10
c)	Fixing of Non-returned wall	05
<b>MAINTENANCE</b>		
a)	Maintenance of Pump Set and Electrical Supply	10
b)	Personal safety and precautions while handling electrical equipments / connections.	10
c)	Maintenance of common electrical equipments like Fans, Switch Board etc.	10
<b>Total Marks</b>		<b>100</b>

Time Duration of Trade Test: **02 hours**


Total Marks of Trade Test: **100 Marks**

Qualifying marks of Trade Test: **Minimum 40 marks (Minimum 40% marks).**

Important Instructions regarding Trade Test for candidates concerned:-

1. It has been decided to schedule the Trade Test at 04 different cities namely- Bhopal, Chandigarh, Hyderabad, and Lucknow. Efforts will be made to schedule the Trade Test of the candidate at a city nearest to candidate's home state as provided by him/her in online application form. However, NVS reserves the right to conduct Trade Test of a candidate at any city and thus the candidate should be ready to attend the Trade Test at any of the above 08 cities.

2. No request for change of Trade Test city or venue will be entertained under any circumstances.
3. The process of document verification will also be carried out on the same date as that of Trade Test. Hence, all candidates should be ready with all their documents including experience, educational qualification, caste certificates etc. Candidates who will be found "NOT ELIGIBLE" for the post of Electrician cum Plumber will not be allowed to appear for Trade Test.
4. Candidates in their own interest are advised to again go through the recruitment notification and satisfy themselves about the eligibility of the applied post before attending the Trade Test. NVS reserves the right to cancel the candidature of such candidates who are found Ineligible/Not Eligible during or after the Trade Test/Document Verification or even after final selection/appointment in Samiti.
5. Schedule of Trade Test alongwith and venue will be published on NVS website in due course.

  
(Vikram Joshi)  
Deputy Commissioner (Pers.)

Copy to:

1. Deputy Commissioner, NVS Regional Office Bhopal / Chandigarh / Hyderabad / Lucknow : for information.